23 SHEETS TOTAL

BY TELEFAX TO: 571-273-8300

DOCKET NO.: 4566

RECEIVED

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

CENTRAL FAX CENTER

IN THE MATTER OF THE APPLICATION FOR PATENT

DEC 0 5 2005

OF: Safa KIRMA

| ART UNIT: 3753

SERIAL NO.: 10/658,685

| CONF. NO.: 2111

FILED: September 8, 2003

EXAMINER: C. SCHNEIDER

FOR: ARRANGEMENT FOR STORING AND CONVEYING LIQUID, ESPECIALLY IN

AN AIRCRAFT

COMMISSIONER FOR PATENTS P.O. BOX 1450 ALEXANDRIA, VA 22313-1450

December 5, 2005

INFORMATION DISCLOSURE STATEMENT WITH CERTIFICATE OF MAILING

Dear Sir:

- 1) Pursuant to 37 C.F.R. §§ 1.56, 1.97 and 1.98 applicants enclose a Form PTO-1449, copies of references AC to AF cited thereon, and English Abstracts as indicated on Form PTO-1449.
- This Information Disclosure Statement is being filed before the mailing of a first Office Action on the merits, according to the available status information. Thus, in accordance with 37 C.F.R. 1.97(b)(3), no fee is due.

4566/WFF:he

-1-

- References AA, AB and AC are in English. Reference AD corresponds to AA, and AE corresponds to AB, from which the relevance can be determined in English. References AE and AF are accompanied by English Abstracts.
- 4) Reference "AF" (DE 43 36 256) discloses a flexible liquid tank that can be loaded as freight onto an aircraft, for example for transporting potable water to a region that has suffered a catastrophe. It is not suggested to connect the tank to a water system of the aircraft, in order to supply water for the on-board use in the aircraft. It is also not suggested to connect the tank to a drain line with a flange arrangement according to the present invention. Instead, the flexible foldable liquid tank according to the reference is made of a flexible multi-layer fabric and is provided with removable divider partitions within The top of the tank can be opened by means of the tank. waterproof zippers (18) extending from the corners to the center, where a watertight central closure (19) is arranged. The tank further has liquid drain outlets formed by threaded connections (20) that are flanged into the tank wall (6) at the bottom thereof. A threaded connection can also be provided as a filling inlet on the top cover of the tank, and a further flange (22) is provided for attaching an over-pressure valve to release air.

5) The Examiner is requested to consider all references of record, return an initialed copy of the enclosed Form PTO-1449 and ensure that all references of record are printed on any patent issuing

Respectfully submitted, Safa Kirma - Applicant

WFF:he/4566
Enclosures:
postcard,
Form PTO-1449,
4 references,
2 English abstracts

from this application.

Walter F. Fasse Patent Attorney Reg. No.: 36132

Tel. No.: 207-862-4671 Fax. No.: 207-862-4681

P.O. Box 726

Hampden, ME 04444-0726

CERTIFICATE OF FAX TRANSMISSION:

I hereby certify that this correspondence with all indicated enclosures is being transmitted by telefax to (571) 273-8300 on the date indicated below, and is addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

Name: Karin Smith - Date: December 5, 2005

DEC 05 2005

Sheet 1 of 1 IDS LIST OF REFERENCES CITED BY APPLICANT (FORM PTO-1449) DATED: December 5, 2005							erial No.: 0/658,685	
				Applicant: Safa Kirma				
				U.S. Filing Date: September 8, 20			03 Art Unit: 3753	
		**************************************	σ. :	S. PATENT DOCUMENTS				
*EXAMINER INITIAL				NAME		cl.	Sub- Cl.	Fil. Date
·	AA	3,093,397	06/1963	Yancey		-		
	AB	5,563,374	10/1996	Hubert		-		-
FOREIGN PATENT DOCUMENTS								
·		DOCUMENT NO.	DATE	COUNTRY	Cl.	Sub- Cl.	yes = AA Abstract = AB	
	AC	754,708	08/1956	Great Britain	-	_		
·	AD	1 165 357	03/1964	Germany	<u> </u>	-		
	AE	43 21 162	01/1995	Germany	<u> </u>	_		
	AF	43 36 256	04/1995	Germany	-	-	Abstr	act
			<u></u>		<u> </u>	<u> </u>	<u> </u>	
			···	OTHER DOCUMENTS				•
EXAMINER'S SIGNATURE				DATE CONSIDERED				
line through	gh cita	al if reference con ation if not in con applicant.	nsidered,	whether or not citation is in confo and not considered. Include copy of	ormance E this	e with h	IPEP 609 .th next	; Draw